

Yealink MVC Series Video Solution for Microsoft Teams Rooms

Realize a Seamless Microsoft Teams Meeting Experience for All Users



Seamless Microsoft Teams Meeting Experience

The Yealink MVC series video solutions are designed for immersive Microsoft Teams meetings in various sizes meeting rooms, which is a bundle video solution that includes everything you need to seamlessly and smartly meet, connect and collaborate with internal and external users. The MVC series delivers premium audio and video quality thanks to its Yealink audio devices and UVC series of cameras. Featuring Yealink HD audio and Noise Proof technology, everyone's voice in the room can be heard clearly. In addition, the complete solution provides users with a flexible deployment that adapts to specific room layouts, giving organizations a native and easy Microsoft Teams Rooms meeting experience.

Easy to Start and Manage Meetings

The meeting consoles eight-inch touch-control display features multiple management tools with a familiar Microsoft Teams interface, providing users with an easy meeting management experience and lower learning costs. The tailored plug-in software allows users to control the PTZ (pan, tilt, zoom) of the camera directly from the touchscreen. While MVC300, user can even get rid of doing camera PTZ remote control as the camera features auto framing. The MVC900 for extra-large meeting rooms, Yealink camera hub handles all the video streams from the UVC80s, users can freely switch to another via Yealink Camera Control Plug-in. Additionally, the console includes an embedded Human Motion Sensor to activate automatically when human motion is detected, users can start a meeting with just one touch.





Human Motion Sensor



Camera Control

Premium Audio and Video Meeting Experience

The audio devices provide users a great audio experience thanks to the HD audio quality, Yealink noise proof technology and wide voice pick up range, the wireless microphone solution even provides a cable-free communication experience. The CP900 speakerphone in MVC300 package features wideband audio, HD voice and six-microphone beamforming for a premium full-duplex experience, make users easier to be heard and involved in the meeting. The MVC series equipped with different UVC series cameras for various room size. From small to extra-large meeting rooms, the optical PTZ camera UVC 80 and UVC50 offer a wide field of view and the adjustable PTZ feature enables vivid face-to-face meetings. While the MVC300, ideal for focus and small rooms, its UVC30 camera supports auto framing that users are able to more engaged in the meeting regardless of PTZ control.



Multiple Options for Instant Content Sharing

The system allows participants to see content in 1080P/30FPS resolution. The Yealink MShare, a content sharing unit with both HDMI and Mini-DP input, it allows users to present content from laptop. Using the Yealink wireless presentation pod WPP20, users are able to do wireless presentation for even more flexibility. Simply plug in the WPP20 to share content with a single click.





Easily Manage Devices through Yealink Device Management Platform

Thanks to support for the Yealink Device Management Platform/-Cloud Service, you can remotely manage, monitor, configure, update and diagnose all Yealink audio and video devices peripherals on this platform.

Multiple Deployment Capabilities for Any Room Layout

The Yealink mini-PC box can be placed on the table, fixed to the wall or set on a TV cart for a clutter-free meeting table. The package includes a cable box housing to manage the cables of each component. Every cable has the protection of more than 45N force, ensuring cable security.







Products at a Glance









Yealink MVC300 Room System

For focus and small rooms

Key Features:

The Yealink MVC300 Room System delivers a native Microsoft Teams Rooms meeting experience. Designed for focus and small meeting rooms, Yealink MVC300 Room System is a complete solution contains touch console, content sharing unit, audio and video peripherals, and mini-PC.



Conbining both microphone and speaker, Yealink speakerphone CP900 offers HD voice and premium full-duplex experience via its built in 6 MEMS microphone arrays and Yealink Noise Proof Technology.



Based on face recognition, Yealink camera UVC30 supports auto framing therefore users are free from PTZ control. Its ultra HD 4K resolution and extra 120° large field of view make a face to face meeting possible.

What's included:

- · Mini-PC
- · MTouch console
- · MShare HDMI ingest
- · UVC30 Room USB Camera
- · CP900 Speakerphone









Yealink MVC500 Room System

For small rooms

Key Features:



The Yealink MVC500 Room System delivers a native Microsoft Teams Rooms meeting experience. Designed for small meeting rooms, Yealink MVC500 Room System is a complete solution contains touch console, content sharing unit, audio and video peripherals, and mini-PC.



Yealink CPW90 Wireless Microphone has 10feet(3-meter) voice pickup range of every microphone unit. Come with its DECT technology, up to 50 meters communication distance could be ensured.



Yealink UVC50 optical PTZ camera, thanks to its wide-angle lens, a vivid face-to-face video conference is enabled.

What's included:


- · Mini-PC
- · MTouch console
- · MShare HDMI ingest
- · UVC50 5X optical camera
- · 2 x CPW90 wireless microphones and MSpeaker soundbar














Yealink MVC800 Room System

For medium and large rooms

MVC800 with 2 mics for medium rooms | MVC800 with 3 mics for large rooms

Key Features:





With 12x optical zoom and long depth of field, remote party can see the participants at the back of the meeting room clearly without quality loss.

What's included:

- · Mini-PC
- · MTouch console
- · MShare HDMI ingest
- · UVC80 12X optical camera
- · 2~3 VCM34 array microphone and MSpeaker soundbar

Yealink MVC900 Room System

For extra-large rooms

Key Features:

The Yealink MVC900 Room System delivers a native Microsoft Teams Rooms meeting experience. Designed for extra-large meeting rooms, Yealink MVC900 Room System is a complete solution contains touch console, content sharing unit, audio and video peripherals, and mini-PC.



The Yealink camera hub handles all the video streams from UVC80s, users can freely switch camera from one to another via Yealink Camera Control Plug-in. With 12x optical zoom and long depth of field, remote party can see the participants at the back of the meeting room clearly without quality loss.

What's included:

- · Mini-PC
- · Camera-Hub
- · MTouch console
- · 2 x UVC80 12X optical camera
- · Yealink MShare for
- · 4 x VCM34 array microphone (optional)
- content sharing · Yealink MSpeaker soundbar (optional)

NZ 11 1	N 41 / 1	\circ	O 'C'	4.0
Yealink	$\mathbb{N}\mathbb{N}$	Series	Specific	cation
I Odili II C			СРОСПІ	Jacion

Modul			MVC500-Wireless	MVC500-Wired	
				To the second se	
	Target Ro	om Size	Medium and large rooms	Small room	
	Mini PC-Package		"Yealink mini-PC package including computer and cable management box "	"Yealink mini-PC package including computer and cable management box "	
Components	Touch Console		Yealink MTouch	Yealink MTouch	
	HDMI Ingest		Yealink MShare	Yealink MShare	
	USB Camera		Yealink UVC80 12x optical PTZ camera	Yealink UVC50 5x optical PTZ camera	
	Audio		2xVCM34 array mic + MSpeaker soundbar	2x CPW90 wireless mic + MSpeaker soundbar	
	CPU		Intel® 7th-gen Core™ i5	Intel® 7th-gen Core™ i5	
	Memory		8GB (2*4GB)	8GB (2*4GB)	
Mini-PC Package	Storage		128GB SSD	128GB SSD	
r o r aonago	Video Out	tput	2x HDMI	2x HDMI	
	USB		4x USB3.0	4x USB3.0	
	Cable Ma	nagement	$\sqrt{}$	J	
	UVC Prote	ocol	UVC 1.1	UVC 1.1	
	Zoom		12x optical	5x optical	
		n / Frame Rate	1080P / 60FPS	1080P / 60FPS	
	Field of View(diagonal)		78.5°	91°	
Camera Features	Pan/Tilt ra	ange	200°/60°	60°/40°	
	Auto Fran	ning	×	×	
	WDR		×	×	
	Audio Ports		"1x Yealink Microphone port + 1x Line-in & 1x Line-out ports"	"1x Yealink Microphone port + 1x Line-in & 1x Line-out ports"	
	Power Ad	apter	AC 100~240V input and DC 48V/0.7A Output	AC 100~240V input and DC 48V/0.7A Output	
		Frequent response	60 Hz - 20K Hz	60 Hz - 20K Hz	
	Speaker	RMS	10W*4	10W*4	
		THD	1.00%	1.00%	
Audio Features	Microphone		"2x VCM34 array mic for medium 3x VCM34 array mic for large"	2x CPW90 wireless mic	
			Built-in 3-mic array	DECT technology, up to 50 meters distance	
			20ft(6-meter) voice pickup range	"10ft(3-meter) voice pickup range of every microphone unit"	
			Cascade connection up to 4 units	Supports up to 4 wireless microphone units	
	Screen Size		8 inches IPS screen	8 inches IPS screen	
	Resolution		1280 x 800	1280 x 800	
Touch Console	Bracket		Adjustable 23° ~ 50°	Adjustable 23° ~ 50°	
		lotion Sensor	√	J	
	3.5mm Audio Port		√	J	
	Resolution / Frame rate		1080P / 30FPS	1080P / 30FPS	
Presentation	Video Input		HDMI & Mini-DP	HDMI & Mini-DP	
	Wireless content sharing		√	V	
	Built-in Wi-Fi AP		√	√ 	
Preload	Operating System		Windows 10 IoT Enterprise OS & License	Windows 10 IoT Enterprise OS & License	
	Microsoft Teams Rooms App		√	J	
	Yealink Camera Control Plug-in		√	√	
	Windows Update Yealink Device Management		√	J	
Device Management	Platform/Cloud Service		√	J	
	Microsoft SCCM		√	J	
	Microsoft Intune		$\sqrt{}$	√	

MVC500-Wired	MVC300	MVC900	
No.			
Small room	Focus and small rooms	Extra large room	
"Yealink mini-PC package	"Yealink mini-PC package	"Yealink mini-PC package	
including computer and cable management box " Yealink MTouch	including computer and cable management box " Yealink MTouch	including computer and cable management box " Yealink MTouch	
Yealink MShare	Yealink MShare	Yealink MShare	
Yealink UVC50 5x optical PTZ camera	Yealink UVC30 Room USB camera	"Camera Hub 2x Yealink UVC80 12x optical PTZ camera"	
1x VCM34 array mic + MSpeaker soundbar	Yealink CP900 speakerphone	"4xVCM34 array mic + MSpeaker soundbar (optional)"	
Intel® 7th-gen Core™ i5	Intel® 7th-gen Core™ i5	Intel® 7th-gen Core™ i5	
8GB (2*4GB)	8GB (2*4GB)	8GB (2*4GB)	
128GB SSD	128GB SSD	128GB SSD	
2x HDMI	2x HDMI	2x HDMI	
4x USB3.0	4x USB3.0	4x USB3.0	
	J	J	
UVC 1.1	UVC 1.1	UVC 1.1	
5x optical	3x digital	12x optical	
1080P / 60FPS	4K / 30FPS	1080P / 60FPS	
91°	120°	78.5°	
60°/40°	EPTZ	200°/60°	
×	$\sqrt{}$	×	
×	$\sqrt{}$	×	
"1x Yealink Microphone port + 1x Line-in & 1x Line-out ports"	NA	"1x Yealink Microphone port + 1x RCA-in & 1x RCA-out ports"	
AC 100~240V input and DC 48V/0.7A Output	NA	AC 100~240V input and DC 48V/0.7A Output	
60 Hz - 20K Hz	115 Hz -16 KHz	60 Hz - 20K Hz	
10W*4	3W	10W*4	
1.00%	1.00%	1.00%	
1x VCM34 array mic	1x CP900 Speakerphone	4xVCM34 array mic	
Built-in 3-mic array	6 MEMS microphones array	Built-in 3-mic array	
20ft(6-meter) voice pickup range	6.5ft (2-meter)voice pickup range	20ft(6-meter) voice pickup range	
Cascade connection up to 4 units	Frequency range: 115 Hz - 7 KHz	Support 3rd party DSP	
8 inches IPS screen	8 inches IPS screen	8 inches IPS screen	
1280 x 800	1280 x 800	1280 x 800	
Adjustable 23° ~ 50°	Adjustable 23° ~ 50°	Adjustable 23° ~ 50°	
\checkmark	√	√	
\checkmark	√	$\sqrt{}$	
1080P / 30FPS	1080P / 30FPS	1080P / 30FPS	
HDMI & Mini-DP	HDMI & Mini-DP	HDMI & Mini-DP	
√	√	√	
√ 	√ √	√ 	
Windows 10 IoT Enterprise OS & License	Windows 10 IoT Enterprise OS & License	Windows 10 IoT Enterprise OS & License	
√	J	√ ,	
V	√ ,	V	
√	√ -	√ 	
√ 	√	√	
√	√	√	
√	$\sqrt{}$	√	

Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD ucinfo@yealink.com | www.yealink.com

2020-02-MVC-EN-V2.1